

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	(@rlad<"20030630" ro @ad<"20030630") and (SIP same (QoS with parameter) same bandwidth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/22 16:01
S2	8	(@rlad<"20030630" or @ad<"20030630") and (SIP same (QoS with parameter) same bandwidth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/22 16:18
S3	4	("2003/0074452").URPN.	USPAT	OR	ON	2008/10/22 16:19
S4	70	(@rlad<"20030630" or @ad<"20030630") and (SIP and ((QoS with parameter) same bandwidth)) and (access near5 (node point element))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/22 16:25
S5	1	(@rlad<"20030630" or @ad<"20030630") and (SIP and ((QoS with parameter) same bandwidth)) and (access near5 (node point element)) and (sip near5 server)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/22 16:25
S6	26	(@rlad<"20030630" or @ad<"20030630") and (SIP and ((QoS with parameter) same bandwidth)) and (access near5 (node point element)) and (sip near5 (control\$3 node server))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/22 16:26
S7	8	(@rlad<"20030630" or @ad<"20030630") and (SIP and ((QoS with parameter) same bandwidth)) and (access near5 (node point element)) and (sip near5 (control\$3 node server)) and (control near5 (element node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/22 16:39

S8	27	(@rlad<"20030630" or @ad<"20030630") and (SIP and ((QoS with parameter) and bandwidth)) and (access near5 (node point element)) and (sip near5 (control\$3 node server)) and (control near5 (element node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/22 16:57
S9	263	(@rlad<"20030630" or @ad<"20030630") and (access near5 (node point element)) and (sip near5 (control\$3 node server)) and (control near5 (element node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/22 17:06
S10	96	(@rlad<"20030630" or @ad<"20030630") and (access near5 (node point element)) and (sip near5 (control\$3 node server)) and (control near5 (element node)) and qos	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/22 17:22
S11	77	(@rlad<"20030630" or @ad<"20030630") and (access near5 (node point element)) and (sip near5 (control\$3 node server)) and (control near5 (element node)) and qos and bandwidth	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/22 17:22
S12	77	(@rlad<"20030630" or @ad<"20030630") and (access near5 (node point element)) and (sip near5 (control\$3 node server)) and (control near5 (element node)) and qos and bandwidth	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/22 17:22
S13	0	(@rlad<"20030630" or @ad<"20030630") and (access near5 (node point element)) with sip with qos with bandwidth	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 10:43
S14	0	(@rlad<"20030630" or @ad<"20030630") and (access near5 (node point element)) same (sip with qos with bandwidth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 10:43

S15	9	(@rlad<"20030630" or @ad<"20030630") and (access near5 (node point element)) and (sip with qos with bandwidth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 10:43
S16	10	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) with bandwidth) and (sip with qos)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 10:47
S17	5	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) near5 bandwidth) and (sip with qos)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 10:52
S18	9	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) near5 (qos and bandwidth)) and sip	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 10:55
S19	0	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) near5 control) with (qos and bandwidth and sip)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 11:10
S20	2	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) near5 control) same (qos and bandwidth and sip)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 11:11
S21	226	(@rlad<"20030630" or @ad<"20030630") and (access near5 (node point element)) with (central near3 control)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 11:15
S22	0	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) with (central near3 control)) and sip	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 11:15
S23	226	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) with (central near3 control))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 11:15

S24	0	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) with (central near3 control)) and sip	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 11:25
S25	99	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) with (central near3 control)) and bandwidth	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 11:26
S26	9	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) with (central near3 control)) and bandwidth and invite	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 11:26
S27	9	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) with (central near3 control)) and bandwidth and invite and wireless	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 11:28
S28	0	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) with (central near3 control) with bandwidth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 11:28
S29	224	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) with control with bandwidth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 11:29
S30	7	(@rlad<"20030630" or @ad<"20030630") and ((access near5 (node point element)) near5 control) with bandwidth and sip	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/23 11:30
S31	78	(@rlad<"20030630" or @ad<"20030630") and (access adj point\$1 AP APs) with (session adj initiation SIP)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/27 10:55
S32	94	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan \$1 wlan\$1) and (session adj initiation SIP) adj (server\$1 gatekeeper)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/27 11:29

S33	130	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and (session adj initiation SLP "h.323") adj (server gatekeeper)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/28 16:42
S34	0	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and (session adj initiation SLP "h.323") adj (server gatekeeper) and (control with access with (point node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/28 16:43
S35	46	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and (session adj initiation SLP "h.323") adj (server gatekeeper) and (control with access with (point node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/28 16:43
S36	0	(@rlad<"20030630" or @ad<"20030630") and (("802.11"\$3 wireless adj lan wlan) and (session adj initiation SLP "h.323") adj (server gatekeeper)) same (control with access with (point node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/28 16:44
S37	21	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and (session adj initiation SLP "h.323") adj (server gatekeeper) and (control near5 access with (point node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/28 16:45
S38	50	("2002/0075844").URPN.	USPAT	OR	ON	2008/10/28 17:07
S39	0	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and ((session adj initiation) SLP "h.323") adj (server gatekeeper) and (control with access with (point node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/24 13:16

S40	0	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and ((session adj initiation) SIP) adj10 (server gatekeeper) and (control with acesss with (point node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/24 13:17
S41	0	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and ((session adj initiation) SIP) and (control with acesss with (point node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/24 13:17
S42	0	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and ("h.323") adj (server gatekeeper) and (control with acesss with (point node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/24 13:18
S43	1100	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and (central same (access with (point node)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/24 13:23
S44	181	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and (central\$4 adj3 control) same (access with (point node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/24 13:24
S45	107	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and (central\$4 adj3 control) with (access with (point node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/24 13:24
S46	94	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and (central\$4 adj3 control) near10 (access with (point node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/24 13:24

S47	2	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and ((central\$4 adj3 control) near10 gateway) with (access with (point node))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/24 13:32
S48	44	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and (central\$4 with access with (point node element)) and sip	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/26 16:19
S49	2	"20040109455"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/26 17:04
S50	2	(@rlad<"20030630" or @ad<"20030630") and ("802.11"\$3 wireless adj lan wlan) and (central\$4 with access with (point node element)) and sip and "20040109455"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/26 17:34
S51	1	(@rlad<"20030630" or @ad<"20030630") and (("802.11"\$3 wireless) adj (lan wlan)) and (sip with qos with bandwidth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/26 19:02
S52	1	(@rlad<"20030630" or @ad<"20030630") and (("802.11"\$3 wireless) adj (lan wlan)) and ((sip with qos) same bandwidth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/26 19:06
S53	31	(@rlad<"20030630" or @ad<"20030630") and ((sip with qos) same bandwidth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/26 19:06
S54	5	(@rlad<"20030630" or @ad<"20030630") and ((sip with qos) same bandwidth) and (access near5 controller)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/26 19:07
S55	19	(@rlad<"20030630" or @ad<"20030630") and ((sip with qos) and bandwidth) and (access near5 (central controller))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/26 19:11

S56	0	(@rlad<"20030630" or @ad<"20030630") and ((sip with qos) and bandwidth) and (ims with bandwidth with application)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/26 19:34
S57	1	(@rlad<"20030630" or @ad<"20030630") and ((sip with qos) and bandwidth) and (ims same (bandwidth with application))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/26 19:34
S58	1	(@rlad<"20030630" or @ad<"20030630") and ((sip with qos) and bandwidth) and (ims same (bandwidth with application)same qos)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/02/26 19:36

2/27/2009 3:14:11 PM

C:\Documents and Settings\chan1\My Documents\EAST\Workspaces\10611521 Qos and SIP harper.wsp